



# Ambition

The Graphic Tile Collection

Premium quality. Guaranteed




[WWW.CONDOR-GROUP.EU](http://WWW.CONDOR-GROUP.EU)






# Ambition

The Graphic Tile Collection



Ambition 120



Ambition 20



Ambition 151



Ambition 51




Ambition 42



Ambition 70




Ambition 73




Ambition 74



Ambition 76



Ambition 77



Ambition 78



Ambition 80



Ambition 83



Ambition 90





# Ambition

## The Graphic Tile Collection

### General specifications

Tuft gauge	1/10 loop pile						ISO 2424
Pilecomposition	100% PA SDN						ISO 2424
Primary Backing	Non Woven						ISO 2424
Secondary backing	Bitumen						ISO 2424
Width	50 x 50 cm		± 0.2%			EN 986	
Pile Density	0.137 gr/cm <sup>3</sup>						ISO 8543
Pile Weight	785 gr/m <sup>2</sup>						ISO 8543
Total weight	4540 gr/m <sup>2</sup>		± 15%			ISO 8543	
Pile height	3 mm						ISO 1765
Total Height	5 mm						ISO 1765
Number of knots	259.000/m <sup>2</sup>		-7.5% . +10%			ISO 1763	
Fire Classification	Bfl-S1						EN 13501-I
Use Area	Heavy project use (33)						EN 1307
Sound Absorption Hz	125	250	500	1000	2000	4000	ISO 11654
	0,00	0,00	0,05	0,20	0,30	0,35	
Evaluated sound absorptions grade αW	0,15 αW						ISO 11654
Sound Insulation	25 dB						ISO 10140
Thermal resistance	0.0656 M <sup>2</sup> KW						ISO 8302
Light fastness	≥ 5						105-B02
Wearebility	≥ 4						105-X12
Water fastness	≥ 4						105-E01
Electrostatic charging	<2 kV						ISO 6356
Luxury class	LC3						EN 1307
Pictures	www.condorcontract.com						

### Floorsymbols



### Certificates



2018 Condor Carpets, Euroweg 3, 8061 SB Hasselt  
 EN 1307 **DOP:** C-003RBA215 **Reaction to fire:** Bfl-s1 **Slip resistance:** DS  
 EN 14041:2004  
 Resilient floor covering to be used within a building

### Condor Carpets bv

Euroweg 3, 8061 SB | P.O. Box 21, 8060 AA | Hasselt, The Netherlands  
 T (+31) 38 477 89 11 | F (+31) 38 477 89 22 | info@condorcarpets.nl



WWW.CONDOR-GROUP.EU

