

Divino

LUXURY VINYL TILES





Content

TABLE

#01	Introducing Divino p. 5	#05	The perfect finish p. 12
#02	Why choose Divino? p. 7	#06	Looks p. 14
#03	Divino, a performance multi-layered floor p. 8	#07	Meet IVC Group p. 24
#04	Installation p. 10	#08	Technical specifications p. 26

Introducing

DIVINO

Luxury Vinyl Tiles (LVT) floors are a popular choice in homes because of the numerous benefits they offer. The durable vinyl planks consist of different layers, each one offering a specific characteristic. Developed and made in Belgium, Divino comes with the well-known benefits of LVT flooring: comfort, softness and warmth, while using a seven-layer construction that delivers exceptional performance in every room.

Our design team went the extra distance to create the ultimate LVT collection: a wide range of true to nature wood effects in shades that bring an original natural look. And with our advanced 'embossed in register' (EIR) texture technology, Divino brings your home a practical floor that looks and feels just like the real thing.

“

Made in Belgium, this high-performance floor is comfortable, durable, and true to nature.

”



Tucker Oak 85236



Kentucky Oak 83853

Why choose Divino?

BENEFITS OF DIVINO

Soft, warm and quiet, Divino is a floor that makes everyone feel comfortable. What's more, its durable and long-lasting finish is beautifully simple to look after.

High-quality

Made in Belgium, Divino's performance multi-layer construction is strong, stable and resistant to temperature changes. This means a floor that's been tested to meet Class 23 and 33, proving its quality for every type of room.



True to nature

With an authentic design and perfectly synchronised 'embossed in register' (EIR) texture, Divino is true to the beauty of wood. Combined with a minimal pattern repeat, this means every room enjoys the ultimate natural look.



Easy-going comfort

Choosing Divino means choosing a floor that's quickly installed and easy to maintain. Its soft underfoot feel, warmth and noise absorption make sure homes and businesses enjoy a comfortable space.



For a better planet

Because it lasts, Divino is a great sustainable choice. With recycled content and low impact manufacturing in Belgium, this is a floor that takes its responsibility to the planet seriously.




Divino, a performance multi-layered floor

HOW IS DIVINO MADE?

Our R&D and production teams in Belgium are constantly innovating and always looking for ways to make better floors. Divino is a result of this collective effort: developed and manufactured in-house using the very best technology available to us today. Divino showcases the innovation of IVC Group with a compact multi-layer construction that delivers high performance. Scratch-resistant, stainproof and with excellent dimensional stability, this is a floor that's made to withstand life, day in and day out.

Let's look at Divino's multi-layer construction in a little more detail:



1 Protective Superguard® for superior resistance and easy maintenance



This is the icing on the cake performance-wise, giving Divino its superior scratch-resistance and an ability to fight off stains. Standing up to hard use, this protective layer makes Divino simple to clean and easy to maintain. We use a special lacquer technique to eliminate shine from the embossing, so that Divino looks beautifully natural.

2 A reliable wear layer



The 0.55 mm thick wear layer makes sure that Divino's planks are tough enough to endure the busiest of family homes. With the strength to resist constant use, this is powerful performance. The wear layer is made in-house for reliability and quality and that's why we back Divino with a long 20-year residential warranty.

3 A design layer that's true to nature



With Divino we aim to create incredibly authentic and original natural designs printed with eco-friendly inks. The process is completely in-house, from inspiration to creation and production, so Divino comes with exclusive designs that you can't find anywhere else. By adding a bevel on the edges, each plank or tile is beautifully defined. But this is not where the design story ends: Divino has our 'embossed in register' (EIR) technology for a synchronised natural texture that brings every detail of wood to life. Divino is a floor that's true to nature.

4 Double glass-fibre layer for the most stable floor



Divino's patented dual glass-fibre construction is the reason for its class-leading dimensional stability. It makes sure that every plank stays locked to the ground, regardless of temperature. Keeping movement to the bare minimum, the dual layers mean Divino can be used everywhere. So, whether a summery garden room, open-plan kitchen or home office, Divino is ready for the challenge.

5 A durable compact core



While you may never see it, the compact core is crucial to Divino's durability. It provides the floor's indentation resistance to furniture and high heels. No matter how many people walk on it, Divino always stays in the best shape. Even better, we make this strong and durable compact core with up to 50% recycled content. Underlining just how important this layer is, Divino Click has a thicker compact core for a strong and secure click joint.

7 A sustainable backing layer with extra grip



Connecting Divino to the prepared subfloor beneath, the backing layer has an important part to play. We've added an embossed 'grip' texture to give the adhesive extra hold. There's also a direction arrow, so you know exactly which way to lay your plank to create an authentic looking floor. This layer features up to 70% recycled content, another way we're reducing Divino's impact on the planet.



GLOSSARY



Design



Strength



Green, eco-friendly, durable



Dimensional stability



Scratch & stain



Moisture protection



Embossed in register

Installation


VINYL CLICK & DRYBACK SYSTEM

Divino is remarkably easy to install. Available in either glue or click flavours, you can choose the method that's best for you. Stick down or lock together, Divino's world-class dimensional stability and high-strength compact layer deliver a lasting result.




CLICK

DRYBACK



Choose the correct underlay/adhesive



For detailed Click installation instructions, please check www.installandclean.com/en/lvtclick



For detailed Dryback installation instructions, please check www.installandclean.com/en/lvtdryback



Divino Parquetry is only available in Dryback

The perfect finish

ACCESSORIES TO EASE YOUR MIND

For the perfect finish, you need the perfect range of accessories. From skirtings and profiles to cleaning and maintenance, we have everything you need, made to the same exacting standards as your Divino floor.



For more info, please check www.xtrafloor.com



1. Stair profiles



2. End profile



3. Expansion profile



4. Radiator cap



5. Paintable skirting



6. Underlay



7. Joint strips



8. Joint filler

Looks

CLOSER TO NATURE

 EMBOSSED IN REGISTER

Designed in Belgium from exacting studies of original materials combined with craftsmanship, Divino recreates the perfection and realism of nature, presenting a range of decors that will enhance a luxurious feeling in your home. A delicate and sharp Embossed in Register elevates the texture of Divino floors to an authentic and realistic look and feel. Divino offers a wide range of natural wood looks in nature true colours who uplift and create depth to your interior. A floor for people who have an eye for beauty and authenticity and who enjoy the luxury of a stylish home.





Barley Oak



84224



84294



84864



84944

Barley Oak 84224

 **Dryback**
Available in:
19.6 x 132 cm
15.8 x 63.2 cm

 **Click Unidrop®**
Available in:
19.1 x 131.6 cm

 **4 sided bevel**

 **4 sided bevel**

 **Thickness**
2.5 mm

 **Thickness**
4.5 mm

 **Wear layer**
0.55 mm

 **Wear layer**
0.55 mm

#06

Kentucky Oak



83113



83233



83273



83853



Dryback
Available in:
196 x 132 cm
158 x 632 cm



Click Unidrop®
Available in:
191 x 1316 cm



4 sided bevel



4 sided bevel



Thickness
25 mm



Thickness
4.5 mm



Wear layer
0.55 mm



Wear layer
0.55 mm



Kentucky Oak 83273



Texas Oak 82201

Texas Oak



82201



82231



82871



82941



82991

 **Dryback**
Available in:
19.6 x 132 cm
15.8 x 63.2 cm


 **Click Unidrop®**
Available in:
19.1 x 131.6 cm


 **4 sided bevel**

 **4 sided bevel**

 **Thickness**
2.5 mm

 **Thickness**
4.5 mm

 **Wear layer**
0.55 mm

 **Wear layer**
0.55 mm

Tucker Oak



85236



85246



85266



85296



85926

 **Dryback**
Available in:
196 x 132 cm
158 x 632 cm

 **4 sided bevel**

 **Thickness**
25 mm

 **Wear layer**
0.55 mm

 **Click Unidrop®**
Available in:
191 x 1316 cm

 **4 sided bevel**

 **Thickness**
4.5 mm

 **Wear layer**
0.55 mm



Tucker Oak 85296

Meet IVC Group

IVC Group is a global player in the design and manufacture of flooring solutions including Carpet Tiles, Luxury Vinyl Tiles (LVT), Heterogeneous Vinyl for use in business, public and private environments. Accountable for our actions, we design and make floors responsibly in Belgium, developing a circular approach to the future of flooring.

IVC Group is part of Mohawk Industries Inc., the world's largest flooring company. With 1,500 employees and 7 production sites in Europe and Russia, IVC Group produces over 130,000,000 m² of flooring every year.

Did you know...

that IVC Group employs over 30 different nationalities worldwide? That's the many cultures and inspirations which go into our eclectic floor designs, explaining their global appeal.



Flooring Development Centre in Waregem, Belgium



On site wind farm to produce our own clean electricity in Belgium

How we make our floors better for the environment?

At IVC Group, we truly believe in products that are developed with the future in mind. That's why we take the time to pause and reflect on the impacts of our entire strategy and operation, and we aim to contribute to the welfare of our planet and our people.




Read all about it in our [sustainability whitepaper](#)

Technical specifications


TECHNICAL INFO OF DIVINO

		Dryback	Click
PRODUCT INFORMATION			
Level of use	EN ISO 10874	23 - 33	23 - 33
Total thickness	EN ISO 24346	2.5 mm	4.5 mm
Wear layer	EN ISO 24340	0.55 mm	0.55 mm
Wear Layer PUR treatment		Superguard® Embossed in register	Superguard® Embossed in register
Total weight glm ²	EN ISO 23997	4105.5	7805.5
SIZE & PACKING			
Planks	EN ISO 24342	19.6 x 132 cm	19.1 x 131.6 cm
Parquetry	EN ISO 24342	15.8 x 63.2 cm	-
Box planks		3.62 m ² 14 pcs/box	1.76 m ² 7 pcs/box
Box Parquetry		2.40 m ² 24 pcs/box	-
TEST RESULTS			
Inflammability	EN 13501		Bfl-S1
Abrasion group	EN ISO 660-2		Class T
Scratch resistance	EN 16094		≤MSR-A2 ≤MSR-B2
Squareness	EN ISO 24342		≤ 400 mm: ≤ 0.25 mm
Straightness	EN ISO 24342b		≤ 400 mm: ≤ 0.35 mm
Slip resistance	EN 13893		DS
Slip restraint	DIN 51130		R10
Residual indentation	EN ISO 24343-1		Norm: ≤ 0.10 mm
Furniture leg resistance	EN ISO 16581		No cracks, no damage
Curling	EN ISO 23999	≤ 121 mm	≤ 111 mm
Dimensional stability	EN ISO 20326	Norm: ≤ 1 0.251 % Average result: ≤ 1 0.051 %	Norm: ≤ 1 0.151 % Average result: ≤ 1 0.051 %
Thermal resistance R	EN 12667	0.0100 m ² K/W	0.0159 m ² K/W
Acoustic insulation	EN ISO 717-2		4 dB
Acoustic insulation + Xtrafloor Acoustic Comfort			19 dB
Castor chair resistance	EN ISO 4918		No damage to wearlayer, no delamination
Stain resistance	EN ISO 26987		Very good
Light fastness	EN ISO 105-B02		≥ 6
Underfloor heating and cooling	EN 12524		Suitable, max 27°C
Maximum allowed ambient and surface temperature			45° C
Warranty (year)			20 Residential - 10 Commercial



The warranty covers manufacturing defects and premature wear in the event of normal use.





DESIGN | FLOORS
by  ivc group

Nijverheidslaan 29 | 8580 Avelgem | Belgium
T +32 [0]56 653 211 | info@ivcgroup.com
www.ivcgroup.com
BTW BE 0866.682.231